EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	5147	((MultiMediaCard$2 or MMC$1 or (flash adj2 memory) or SanDisk$1 or (SD with card$1) or CompactFlash$1 or (removable adj2 memory) or (IC adj2 card$1) or (Smart adj2 card$1) or (IC adj2 Chip) or (smart with card$1) or (chip adj2 card$1) or (Integrated adj2 circuit$1) or (ICC)) or (Microprocessor adj2 card$1)) ($4Node$3 or $4Workstat$4 or $4Terminal$3 or $4Client $3 or $4host$3 or $4station$2 or $4devic$3 or $4server$2 or $4Apparat$4 or $4Processo$4 or $4machin $4 or $4computer$4 or $4hardware$4 or phon$3 or module$4) (Firmware $4 or PLD or FPGA or Circuit$4) ($4Authenticat $5 or $4Authoriz$6 or $4Permi$6 or $4Verif$8 or $4Certif$8 or $4Validat$6 $4Approv$6 or $4Confir$7 or $4Credent$6) (Configur $5 or Organiz$4 or Setup $4 or Arrang$4 or Install $6 or Establish$4 or Setting or Parameter) ($4Boot$4 or $4Restart$4 or $4Power$4 or $4Reset $4 or Shutdown$4) $4Certif$8 $4Authenticat $5 Configur$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 12:49

S2	4289	S1 ((MultiMediaCard$2 or MMC$1 or (flash adj2 memory) or SanDisk$1 or (SD with card$1) or CompactFlash$1 or (removable adj2 memory) or (IC adj2 card$1) or (Smart adj2 card$1) or (IC adj2 Chip) or (smart with card$1) or (chip adj2 card$1) or (Integrated adj2 circuit$1) or (ICC)) or (Microprocessor adj2 card$1) or ($4Node$3 or $4Workstat$4 or $4Terminal$3 or $4Client $3 or $4host$3 or $4station$2 or $4devic$3 or $4server$2 or $4Apparat$4 or $4Processo$4 or $4machin$4 or $4computer$4 or $4hardware$4 or phon$3 or module$4) or (Firmware $4 or PLD or FPGA or Circuit$4)) ($4Authenticat $5 or $4Authoriz$6 or $4Permi$6 or $4Verif$8 or $4Certif$8 or $4Validat$6 $4Approv$6 or $4Confir$7 or $4Credent$6) (Configur $5 or Organiz$4 or Setup $4 or Arrang$4 or Install $6 or Establish$4 or Setting or Parameter) (enable$4 or disabl$4 or $4Allow$4 or $4Permit$4 or Read$4 or Writ$4) (Speed$4 or Faste$4 or Accelerat$4 or Clock$4 or Rate$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 13:16
S3	64	S2 (($4Authenticat$5 or $4Authoriz$6 or $4Permi $6 or $4Verif$8 or $4Certif $8 or $4Validat$6 $4Approv$6 or $4Confir$7 or $4Credent$6) with (Configur$5 or Organiz$4 or Setup$4 or Arrang$4 or Install$6 or Establish$4 or Setting or Parameter) with (enable$4 or disabl$4 or $4Allow$4 or $4Permit$4 or Read$4 or Writ$4) with (Speed$4 or Faste$4 or Accelerat$4 or Clock$4 or	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 13:24

		Rate$4))				
S4	15	S3 @ad<"20020730"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 13:29
S5	38	(US-20040049674-$).did. or (US-7270193-$ or US-7254711-$ or US-7159114-$ or US-7107247-$ or US-7039802-$ or US-7016666-$ or US-6854056-$ or US-6647494-$ or US-5966446-$ or US-5568552-$ or US-6542610-$ or US-6185678-$ or US-6263431-$ or US-7174457-$).did. or (WO-2065696-$).did. or (US-20020098830-$ or US-5721781-$ or US-6427091-$ or US-20030046544-$ or WO-200062519-$).did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 13:35
S6	36	S5 @ad<"20020730"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 13:35
S7	2218	713/168.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 13:38
S8	838	713/170.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 13:38
S9	59903	"380".clas. "726".clas. "713".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/26 13:39

S10	558	S2 (($4Authenticat$5 or $4Authoriz$6 or $4Permi $6 or $4Verif$8 or $4Certif $8 or $4Validat$6 $4Approv$6 or $4Confir$7 or $4Credent$6) same (Configur$5 or Organiz$4 or Setup$4 or Arrang$4 or Install$6 or Establish$4 or Setting or Parameter) same (enable$4 or disabl $4 or $4Allow$4 or $4Permit$4 or Read$4 or Writ$4) same (Speed$4 or Faste$4 or Accelerat$4 or Clock$4 or Rate$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 13:39
S11	167	S9 S10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 13:42
S12	61	S11 @ad< "20020730"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 14:36
S13	0	S12 ($4Certif$8 with $4Authenticat$5 with Configur$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 14:43
S14	187	S1 ($4Certif$8 with $4Authenticat$5 with Configur$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 14:44
S15	1007	713/156.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 14:45
S16	11	S15 S14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 14:45

S17	4	S16 @ad<"20020730"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 14:45
S18	659	($4Certif$8 with $4Authenticat$5 with Configur$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 15:18
S19	371	S9 S18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 15:32
S20	85	S1 S19	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 15:33
S21	26	S20 @ad<"20020730"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 15:34
S22	7	(US-20030035547-$).did. or (US-6775770-$ or US-7302487-$ or US-7127611-$ or US-6918042-$ or US-6314521-$ or US-5883956-$).did.	US-PGPUB; USPAT	AND	ON	2008/03/26 16:04
S23	45	S5 S22	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/26 16:04
S24	8	S23 ($4Certif$8 with $4Authenticat$5 with Configur$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 16:04

S25	1	10/618873	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 16:07
S26	21453	(texas near instrum$5).as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 16:13
S27	2	S26 ($4Certif$8 with $4Authenticat$5 with Configur$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 16:13
S28	7	(((MultiMediaCard$2 or MMC$1 or (flash adj2 memory) or SanDisk$1 or (SD with card$1) or CompactFlash$1 or (removable adj2 memory) or (IC adj2 card$1) or (Smart adj2 card$1) or (IC adj2 Chip) or (smart with card$1) or (chip adj2 card$1) or (Integrated adj2 circuit$1) or (ICC)) or (Microprocessor adj2 card$1)) ($4Node$3 or $4Workstat$4 or $4Terminal$3 or $4Client $3 or $4host$3 or $4station$2 or $4devic$3 or $4server$2 or $4Apparat$4 or $4Processo$4 or $4machin $4 or $4computer$4 or $4hardware$4 or phon$3 or module$4) (Firmware $4 or PLD or FPGA or Circuit$4) ($4Authenticat $5 or $4Authoriz$6 or $4Permi$6 or $4Verif$8 or $4Certif$8 or $4Validat$6 $4Approv$6 or $4Confir$7 or $4Credent$6) (Configur $5 or Organiz$4 or Setup $4 or Arrang$4 or Install $6 or Establish$4 or Setting or Parameter) ($4Boot$4 or $4Restart$4 or $4Power$4 or $4Reset	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 16:17

		$4 or Shutdown$4) $4Certif$8 $4Authenticat $5 Configur$5).clm.				
S29	8	S24 @ad<"20020730"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 16:26
S30	8	S29 ($4Certif$8 with $4Authenticat$5 with Configur$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 16:27
S31	8	S29 ($4Certif$8 same $4Authenticat$5 same Configur$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 16:29
S32	5	(US-20030035547-$).did. or (US-6314521-$ or US- 6775770-$ or US-7127611- $ or US-7302487-$).did.	US-PGPUB; USPAT	AND	ON	2008/03/26 16:40
S33	1007	713/156.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 16:41
S34	422	713/180.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 16:41
S35	1	S25 ($4Certif$8 same $4Authenticat$5 same Configur$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 16:43
S36	1	S25 ($4Certif$8 $4Authenticat$5 Configur $5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 16:43

S37	4429	709/227.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 16:49
S38	11	S37 ($4Certif$8 with $4Authenticat$5 with Configur$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 16:49
S39	7	S38 @ad<"20020730"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 16:50
S40	5	($4Certif$8 $4Authenticat $5 Configur$5).ti. ($4Certif$8 same $4Authenticat$5 same Configur$5).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 16:51
S41	1	S40 @ad<"20020730"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/03/26 16:51
S42	5	(US-20030035547-$).did. or (US-6314521-$ or US-6775770-$ or US-7127611-$ or US-7302487-$).did.	US-PGPUB; USPAT	AND	ON	2008/03/26 17:38
S43	5	(US-20030035547-$).did. or (US-6314521-$ or US-6775770-$ or US-7127611-$ or US-7302487-$).did.	US-PGPUB; USPAT	AND	ON	2008/04/07 15:16
S44	5	($4Certif$8 $4Authenticat $5 Configur$5).ti. ($4Certif$8 same $4Authenticat$5 same Configur$5).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/07 15:16
S45	5	S43 @ad<"20020730"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/07 15:29

S46	1	S44 @ad<"20020730"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/07 15:29
S47	2	"6463534".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/07 16:06
S48	2	"6647494".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/04/07 16:06
S49	1	10/618873	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/07 20:12
S50	1717	(($4Certif$8).ti. or ($4Certif$8).ab.) ($4Certif $8).clm. ($4Read$4 or $4Writ$4 or $4Access$4 or $4Store$4 or $4Load $4) ($4Authenticat$5 or $4Authoriz$6 or $4Permi $6 or $4Verif$8 or $4Certif $8 or $4Validat$6 $4Approv$6 or $4Confir$7 or $4Credent$6) (Configur $5 or Organiz$4 or Setup $4 or Arrang$4 or Install $6 or Establish$4 or Sett $5 or Paramet$4) (enable $4 or disabl$4 or $4Allow $4 or $4Permit$4 or Read $4 or Writ$4) (Speed$4 or Faste$4 or Accelerat$4 or Clock$4 or Rate$4) ($4Firm$6 or (Trusted adj Platform adj Module) or (TPM$4) or $4machine$4 or $4hard$4 or $4processor$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/07 20:33

S51	559	((\$4Certif\$8).ti. (\$4Certif \$8).ab.) (\$4Certif\$8).clm. (\$4Read\$4 or \$4Writ\$4 or \$4Access\$4 or \$4Store\$4 or \$4Load\$4) (\$4Authenticat\$5 or \$4Authoriz\$6 or \$4Permi \$6 or \$4Verif\$8 or \$4Certif \$8 or \$4Validat\$6 \$4Approv\$6 or \$4Confir\$7 or \$4Credent\$6) (Configur \$5 or Organiz\$4 or Setup \$4 or Arrang\$4 or Install \$6 or Establish\$4 or Sett \$5 or Paramet\$4) (enable \$4 or disabl\$4 or \$4Allow \$4 or \$4Permit\$4 or Read \$4 or Writ\$4) (Speed\$4 or Faste\$4 or Accelerat\$4 or Clock\$4 or Rate\$4) (\$4Firm\$6 or (Trusted adj Platform adj Module) or (TPM\$4) or \$4machine\$4 or \$4hard\$4 or \$4processor\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/07 20:35
S52	250	S51 @ad<"20020730"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/07 20:36
S53	12	((\$4Certif\$8).ti. (\$4Certif \$8).ab.) ((\$4Certif\$8) (\$4Read\$4 or \$4Writ\$4 or \$4Access\$4 or \$4Store\$4 or \$4Load\$4) (\$4Authenticat\$5 or \$4Authoriz\$6 or \$4Permi \$6 or \$4Verif\$8 or \$4Certif \$8 or \$4Validat\$6 \$4Approv\$6 or \$4Confir\$7 or \$4Credent\$6) (Configur \$5 or Organiz\$4 or Setup \$4 or Arrang\$4 or Install \$6 or Establish\$4 or Sett \$5 or Paramet\$4) (enable \$4 or disabl\$4 or \$4Allow \$4 or \$4Permit\$4 or Read \$4 or Writ\$4) (Speed\$4 or Faste\$4 or Accelerat\$4 or Clock\$4 or Rate\$4) (\$4Firm\$6 or (Trusted adj Platform adj Module) or (TPM\$4) or \$4machine\$4 or \$4hard\$4 or	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/07 20:37

		$4processor$4)).clm.				
S54	8	S53 @ad<"20020730"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/07 20:38
S55	42	(($4Certif$8).ti. or ($4Certif$8).ab.) (($4Certif$8) ($4Read$4 or $4Writ$4 or $4Access $4 or $4Store$4 or $4Load $4) ($4Authenticat$5 or $4Authoriz$6 or $4Permi $6 or $4Verif$8 or $4Certif $8 or $4Validat$6 $4Approv$6 or $4Confir$7 or $4Credent$6) (Configur $5 or Organiz$4 or Setup $4 or Arrang$4 or Install $6 or Establish$4 or Sett $5 or Paramet$4) (enable $4 or disabl$4 or $4Allow $4 or $4Permit$4 or Read $4 or Writ$4) (Speed$4 or Faste$4 or Accelerat$4 or Clock$4 or Rate$4) ($4Firm$6 or (Trusted adj Platform adj Module) or (TPM$4) or $4machine$4 or $4hard$4 or $4processor$4)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/07 20:44
S56	21	S55 @ad<"20020730"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/07 20:45
S57	7	(US-20030035547-$).did. or (US-6314521-$ or US-6775770-$ or US-7127611-$ or US-7302487-$ or US-6647494-$ or US-6463534-$).did.	US-PGPUB; USPAT	AND	ON	2009/06/07 20:50

S58	2143	(($4Certif$8).ti. or ($4Certif$8).ab.) (($4Certif$8).clm. ($4Read$4 or $4Writ$4 or $4Access$4 or $4Store$4 or $4Load$4) ($4Authenticat$5 or $4Authoriz$6 or $4Permi $6 or $4Verif$8 or $4Certif $8 or $4Validat$6 $4Approv$6 or $4Confir$7 or $4Credent$6) (Configur $5 or Organiz$4 or Setup $4 or Arrang$4 or Install $6 or Establish$4 or Sett $5 or Paramet$4) ((enable$4 or disabl$4 or $4Allow$4 or $4Permit$4 or Read$4 or Writ$4 or Speed$4 or Faste$4 or Accelerat$4 or Clock$4 or Rate$4) with ($4Firm$6 or (Trusted adj Platform adj Module) or (TPM$4) or $4machine$4 or $4hard$4 or $4processor$4)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/07 20:55
S59	679	(($4Certif$8).ti. ($4Certif $8).ab.) (($4Certif$8). clm. ($4Read$4 or $4Writ $4 or $4Access$4 or $4Store$4 or $4Load$4) ($4Authenticat$5 or $4Authoriz$6 or $4Permi $6 or $4Verif$8 or $4Certif $8 or $4Validat$6 $4Approv$6 or $4Confir$7 or $4Credent$6) (Configur $5 or Organiz$4 or Setup $4 or Arrang$4 or Install $6 or Establish$4 or Sett $5 or Paramet$4) ((enable$4 or disabl$4 or $4Allow$4 or $4Permit$4 or Read$4 or Writ$4 or Speed$4 or Faste$4 or Accelerat$4 or Clock$4 or Rate$4) with ($4Firm$6 or (Trusted adj Platform adj Module) or (TPM$4) or $4machine$4 or $4hard$4 or $4processor$4)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/07 21:01

S60	292	S59 @ad<"20020730"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/07 21:02
S61	1307	(($4Certif$8) ($4Read$4 or $4Writ$4 or $4Access $4 or $4Store$4 or $4Load $4) ($4Authenticat$5 or $4Authoriz$6 or $4Permi $6 or $4Verif$8 or $4Certif $8 or $4Validat$6 $4Approv$6 or $4Confir$7 or $4Credent$6) (Configur $5 or Paramet$4) (enable $4 or disabl$4 or $4Allow $4 or $4Permit$4 or Read $4 or Writ$4 or Speed$4 or Faste$4 or Accelerat$4 or Clock$4 or Rate$4) ($4Firm$6 or (Trusted adj Platform adj Module) or (TPM$4) or $4machine$4 or $4hard$4 or $4processor$4)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/07 22:40
S62	150	(($4Certif$8) ($4Read$4 or $4Writ$4 or $4Access $4 or $4Store$4 or $4Load $4) ($4Authenticat$5 or $4Authoriz$6 or $4Permi $6 or $4Verif$8 or $4Certif $8 or $4Validat$6 $4Approv$6 or $4Confir$7 or $4Credent$6) (Configur $5 or Paramet$4) (enable $4 or disabl$4 or $4Allow $4 or $4Permit$4 or Read $4 or Writ$4 or Speed$4 or Faste$4 or Accelerat$4 or Clock$4 or Rate$4) ($4Firm$6 or (Trusted adj Platform adj Module) or (TPM$4) or $4machine$4 or $4hard$4 or $4processor$4)).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/07 22:48
S63	4	S61 S62	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/07 22:52

S64	1	S63 @ad<"20020730"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/07 22:53
S65	396	S61 @ad<"20020730"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/07 22:55
S66	1161	(($4Certif$8) ($4Read$4 or $4Writ$4 or $4Access $4 or $4Store$4 or $4Load $4) ($4Authentical$5 or $4Authoriz$6 or $4Permi $6 or $4Verif$8 or $4Certif $8 or $4Validat$6 $4Approv$6 or $4Confir$7 or $4Credent$6) (Configur $5 or Paramet$4) (enable $4 or disabl$4 or $4Allow $4 or $4Permit$4 or Read $4 or Writ$4 or Speed$4 or Faste$4 or Accelerat$4 or Clock$4 or Rate$4) ($4Firm$6 or (Trusted adj Platform adj Module) or (TPM$4) or $4machine$4 or $4hard$4 or $4processor$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2009/06/07 22:56
S67	231	S61 S66	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/07 22:58
S68	66	S67 @ad<"20020730"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/07 22:58

S69	67	(($4Certif$8) ($4Read$4 or $4Writ$4 or $4Access $4 or $4Store$4 or $4Load $4) ($4Authenticat$5 or $4Authoriz$6 or $4Permi $6 or $4Verif$8 or $4Certif $8 or $4Validat$6 $4Approv$6 or $4Confir$7 or $4Credent$6) (Configur $5 Paramet$4) (enable$4 or disabl$4 or $4Allow$4 or $4Permit$4 or Read$4 or Writ$4 or Speed$4 or Faste$4 or Accelerat$4 or Clock$4 or Rate$4) ($4Firm$6 or (Trusted adj Platform adj Module) or (TPM$4) or $4machine$4 or $4hard$4 or $4processor$4 or device $4) (reset$4 or $4boot$4 or $4power$4 or initial $6)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/07 23:11
S70	19	S69 @ad<"20020730"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/07 23:14
S71	15	(US-20040054913-$ or US-20030115475-$ or US-20020148508-$ or US-20030115453-$ or US-20010008012-$).did. or (US-7065649-$ or US-6978018-$ or US-6976163-$ or US-6904523-$ or US-6820063-$ or US-7302487-$ or US-6672505-$ or US-6463535-$ or US-6170058-$ or US-6560706-$).did.	US-PGPUB; USPAT	AND	ON	2009/06/07 23:18
S72	21	S57 S71	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/07 23:20
S73	21	S72 @ad<"20020730"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/07 23:20

S74	18	S73 ((($4Certif$8) ($4Read $4 or $4Writ$4 or $4Access$4 or $4Store$4 or $4Load$4) ($4Authenticat$5 or $4Authoriz$6 or $4Permi $6 or $4Verif$8 or $4Certif $8 or $4Validat$6 $4Approv$6 or $4Confir$7 or $4Credent$6) (Configur $5 or Paramet$4) (enable $4 or disabl$4 or $4Allow $4 or $4Permit$4 or Read $4 or Writ$4 or Speed$4 or Faste$4 or Accelerat$4 or Clock$4 or Rate$4) ($4Firm$6 or (Trusted adj Platform adj Module) or (TPM$4) or $4machine$4 or $4hard$4 or $4processor$4 or device $4) (reset$4 or $4boot$4 or $4power$4 or initial $6))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/07 23:20
S75	11	(US-20010008012-$).did. or (US-7302487-$ or US-7127611-$ or US-7065649-$ or US-6978018-$ or US-6976163-$ or US-6820063-$ or US-6672505-$ or US-6647494-$ or US-6463535-$ or US-6463534-$).did.	US-PGPUB; USPAT	AND	ON	2009/06/07 23:36
S76	3	("20020026503" | "20030018889" | "6119234").PN. OR ("7302487").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2009/06/07 23:36
S77	8	("3996449" | "5448045" | "5892902" | "6141756" | "6185678" | "6189100" | "6292900" | "6684326"). PN. OR ("7065649"). URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2009/06/07 23:36
S78	11	("5710814" | "5857144"). PN. OR ("6978018"). URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2009/06/07 23:36
S79	11	("5022077" | "5293424" | "5579522" | "5844986"). PN. OR ("6976163"). URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2009/06/07 23:37
S80	17	("6253997" | "6302326" | "6443359" | "6505177"). PN. OR ("6672505"). URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2009/06/07 23:37

S81	134	("4206315" | "4656474" | "4868877" | "5005200" | "5214702" | "5218637" | "5349643" | "5367573" | "5444850" | "5465299" | "5473692" | "5479509" | "5537475" | "5568552" | "5574915" | "5778070" | "5805706" | "5844986" | "5919257" | "5935242" | "5937063" | "5944821"). PN. OR ("6463535"). URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2009/06/07 23:37
S82	183	S76 S77 S78 S79 S80 S81	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/07 23:38
S83	83	S82 (($4Certif$8) ($4Read $4 or $4Writ$4 or $4Access$4 or $4Store$4 or $4Load$4) ($4Authenticat$5 or $4Authoriz$6 or $4Permi $6 or $4Verif$8 or $4Certif $8 or $4Validat$6 $4Approv$6 or $4Confir$7 or $4Credent$6) (Configur $5 or Paramet$4) (enable $4 or disabl$4 or $4Allow $4 or $4Permit$4 or Read $4 or Writ$4 or Speed$4 or Faste$4 or Accelerat$4 or Clock$4 or Rate$4) ($4Firm$6 or (Trusted adj Platform adj Module) or (TPM$4) or $4machine$4 or $4hard$4 or $4processor$4 or device $4) (reset$4 or $4boot$4 or $4power$4 or initial $6))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/07 23:38

S84	97	S82 (($4Certif$8) ($4Read $4 or $4Writ$4 or $4Access$4 or $4Store$4 or $4Load$4) ($4Authenticat$5 or $4Authoriz$6 or $4Permi $6 or $4Verif$8 or $4Certif $8 or $4Validat$6 $4Approv$6 or $4Confir$7 or $4Credent$6) (Configur $5 or Paramet$4 or enable $4 or disabl$4 or $4Allow $4 or $4Permit$4 or Read $4 or Writ$4 or Speed$4 or Faste$4 or Accelerat$4 or Clock$4 or Rate$4) ($4Firm$6 or (Trusted adj Platform adj Module) or (TPM$4) or $4machine$4 or $4hard$4 or $4processor$4 or device $4) (reset$4 or $4boot$4 or $4power$4 or initial $6))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/07 23:38
S85	63	S84 @ad< "20020730"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/07 23:43
S86	45	S85 (($4Certif$8) ($4Read $4 or $4Writ$4 or $4Access$4 or $4Store$4 or $4Load$4) ($4Authenticat$5 or $4Authoriz$6 or $4Permi $6 or $4Verif$8 or $4Certif $8 or $4Validat$6 $4Approv$6 or $4Confir$7 or $4Credent$6) (Configur $5 or Paramet$4 or enable $4 or disabl$4 or $4Allow $4 or $4Permit$4 or Read $4 or Writ$4) (Speed$4 or Faste$4 or Accelerat$4 or Clock$4 or Rate$4) ($4Firm$6 or (Trusted adj Platform adj Module) or (TPM$4) or $4machine$4 or $4hard$4 or $4processor$4 or device $4) (reset$4 or $4boot$4 or $4power$4 or initial $6))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/07 23:46

| S87 | 14 | (US-20010008012-$).did. or (US-7302487-$ or US-7127611-$ or US-7065649-$ or US-6978018-$ or US-6976163-$ or US-6820063-$ or US-6672505-$ or US-6647494-$ or US-6463535-$ or US-6463534-$ or US-7139890-$ or US-7111176-$ or US-5568552-$).did. | US-PGPUB; USPAT | AND | ON | 2009/06/08 00:02 |

6/8/2009 12:05:59 AM
C:\ Documents and Settings\ tgergiso\ My Documents\ EAST\ Workspaces\ 10618873
\ 10618873New.wsp